



GEZE DOOR HARDWARE

A tradition of innovation

GEZE in the buildings of the world.

GEZE GmbH is one of the most successful providers of building systems for door, window and safety technology in the world. As one of the market innovation and design leaders, the company which was found in stuttgart in 1863, develops, manufactures and sells pioneering technology that has played a key role in influencing building technology. With its subsidiaries and a comprehensive network of representatives, GEZE is represented in almost every parts of the globe.



Company's success through.....

A power to innovate and experience:

We develop system solutions and anticipate needs of our customers and the market.

Technical Know-how and quality:

Highly qualified and creative employees, systematic innovation management and precision, combined to develop reliable, safe and user friendly products with outstanding designs.

A focus on service and individuality:

Our thoughts and actions are defined by providing our customers with a complete service and product specific solutions: from design engineering, to realisation, to servicing the systems.



GEZE
IN MOTION SINCE 1863




www.geze.in

Table of Contents

Hinges	4
Pull Handles	5
Lever Handles - Round Rosette	7
Mortise Locks	8
Mortise Locks - Narrow Stile	10
Lever Handles - Oval Rosette	11
Euro Profile Cylinders	12
Panic Devices - Exidor	13
Panic Devices - GP Series	14
Panic Devices - TB 321	15
Hardware Accessories	16
Shortbody Dead Lock Set	19

GEZE Pull Handles


D Type Pull Handle - SS 304



C = Center to center fixing distance E = Total length

ID No	Application	Size in mm	Overall Distance in mm
98163089	Glass, wood and Metal doors	19x150	169
98163253	Metal/Wood door single side	19x150	169
98163078	Glass, wood and Metal doors	19x200	219
98163107	Glass, wood and Metal doors	19x250	269
98163076	Metal/Wood door single side	19x250	269
98163016	Glass, wood and Metal doors	22x300	322
98163017	Glass, wood and Metal doors	25x350	375
98163116	Glass, wood and Metal doors	25x450	475
98163030	Glass, wood and Metal doors	25x600	625

H Type Pull Handle - SS 304



C = Center to center fixing distance E = Total length

ID No	Application	Size in mm	Overall Distance in mm
98163046	Glass, wood and Metal doors	25x250	350
98163020	Glass, wood and Metal doors	25x300	400
98163039	Glass, wood and Metal doors	25x350	450
98163021	Glass, wood and Metal doors	25x450	550
98163022	Glass, wood and Metal doors	25x600	700
98163004	Glass, wood and Metal doors	32x600	700
98163098	Glass, wood and Metal doors	32x900	1000
98163105	Glass, wood and Metal doors	32x1100	1200
98163008	Glass, wood and Metal doors	32x1200	1300

GEZE Pull Handles


GEZE Offset Pull Handle - SS 304



ID No	Application	Size in mm	Overall Distance in mm
98163182	Both wooden and Metal doors	25x300	325
98163179	Both wooden and Metal doors	25x450	475
98163151	Both wooden and Metal doors	25x600	625
98163037	Both wooden and Metal doors	32x1000	1032
98163114	Both wooden and Metal doors	32x1200	1232

GEZE Ladder pull handle with integrated lock SS 304
8383010


- Size 25x1340 mm
- For 8-12 mm glass thickness
- Supplied with dust proof socket




Note: Other pull handles on request

GEZE Tubular Lever Handles


GEZE handle LH 101 with Round Rosette
9168506



GEZE handle LH 103 with Round Rosette
9168508



GEZE handle LH 102 with Round Rosette
98302006



Note: Other Lever handles on request

GEZE mortise locks

Mortise locks for single-leaf doors


GEZE locks are available for metal and wooden doors in combination with standard European profile cylinders. The locks are tested and certified according to EN 12209 to ensure the highest standard on fire and smoke protection doors. The casing of the locks is white galvanized. Their face plates and strike plates are made of stainless steel 304 and visual satin finished and vertically brushed surface. All products are provided with reversible latch, suitable for left and right-hung doors, and will have a GEZE logo on the top of the face plate. All dimensions in accordance with DIN 18251.

Area of application

- For single-leaf metal and wooden doors
- For application with standard European profile cylinders and Lever Handles with 8x8 square spindle
- All locks provided with reversible latch, suitable for left and right-hung doors


GEZE lock ML SL 72

Sash Lock 9168463




GEZE lock ML PL 72


Latch Lock 9168466




GEZE lock ML DL 72
Dead Lock
9168469




GEZE lock ML PL 72
Privacy Lock - Backset 55mm
9168486





GEZE Hook Lock
98124001 - Wooden door application
98124028 - Metal door application




Escutcheon round
9168540



Privacy lock escutcheon
9168542




GEZE lock ML NSL 92
Narrow Stile Sash Lock
9168483



Backset 35 mm


GEZE lock ML NDL S
Narrow Stile Dead Lock
9168485




Backset 35 mm

GEZE Tubular Lever Handles


GEZE handle LH 103 with oval Rosette
9168534



GEZE handle LH 101 with oval Rosette
9168509




Narrow Stile Escutcheon
9168541



GEZE Euro Profile Cylinder

GEZE Euro Profile Cylinder Key/Key



9168489	60 mm
9168490	70 mm
9168491	80 mm



A = Cylinder length A B = Cylinder length B

GEZE Euro profile cylinder Key/Knob


9168500	60 mm
9168501	70 mm
9168502	80 mm



A = Cylinder length A B = Cylinder length B

GEZE 45 mm Euro profile half cylinder

9168493



A = Cylinder length A B = Cylinder length B


GEZE Panic Devices

GEZE Exidor




ID No	Type	Application	Finish
98026301	Single point	Wooden door application	Silver
98026366	Single point	Metal door application	Silver
98026302	Double point	Wooden door application	Silver
98026367	Double point	Metal door application	Silver
98026303	Double door	Rebated Wooden door application	Silver
98026368	Double door	Rebated Metal door application	Silver
98026304	Double door	Flush meeting Wooden door application	Silver
98026383	Double door	Flush meeting Metal door application	Silver

External trim 98026306



GEZE Panic Bar GP Series



Single Point

Multi Point


ID No	Type	Application	Finish
98536301	Single point	Wooden door application	Silver
98536303	Single point	Metal door application	Silver
98536309	Double point	Wooden door application	Silver
98536306	Double point	Metal door application	Silver
98536311	Double door	Rebated Metal door	Silver
98536310	Double door	Rebated Wooden door	Silver

Rebated metal door application- 98536303+98536306

GEZE External Trim

98536302- For wooden door

98536304- For metal door



GEZE Panic Devices

GEZE Panic TB 321




ID No	Type	Finish
9169787	Single point touch bar	Silver finish
9169789	Two point touch bar	Silver finish
9169794	Additional accessory for door leaf height up to 2440 mm	Silver finish
9169786	Single point touch bar	Stainless steel
9169788	Two point touch bar	Stainless steel

GEZE External Trim


9169792 Silver finish

9169793 Stainless steel




GEZE Hardware Accessories


GEZE Half moon door stopper
98487003




Wall mounted door stopper
98307002



Lever action flush bolts for steel door
98307009 300mm
98487006 600mm




Lever action flush bolts for wooden door
98307012 250mm




GEZE Hardware Accessories


Dust proof Socket
98307013




Telescopic door stopper
98307011



Door viewer with cover
98307008




Shaft lock
98344020



GEZE Hardware Accessories

GEZE Door Bottom Seal - RP8Si

- Fully Morticed Concealed Door Bottom seal**
- Spring loaded type
 - Suitable for Door thickness 36mm
 - Standard finish - Aluminium anodized, Tested to AUS/NZ: confirms to BCA Sec. F5.5. Approved to BS En ISO 140.3 (Similar to BS En ISO7171.1)



ID No	Length	Finish
98427316	820 mm	Satin
98427309	915 mm	Satin
98427312	1070 mm	Satin
98427313	1220 mm	Satin



Door Frame Seal RP120

- GEZE door frame seal is a co-extruded flame retardant PVC acoustic smoke seal.
- Can be used with wood/Metal doors.
- Self- adhesive backing tape on both sides of the carrier
- Can cover a gap between 3mm to 5.5mm.
- Material: Black

Note: Contact surface must be clean, smooth and if painted, well cured.

Self-adhesive seals will not adhere to oiled or alkyd finishes or to easy clean wash and wear paint surfaces.

ID No	Length	Finish
98427304	6500mm	Brown
98427305	7500mm	Brown




GEZE Hardware Accessories


GEZE Weather Seal - 98427321

compression seal, made from silicon. Raven silicon has a high resistance to permanent set (memory). It will not absorb water and is resistant to ozone and ultra-violet light deterioration.

Location : Aluminium, PVC or timber door and window frame grooves where dimensions suit.
 Compression : 1mm to 2mm.
 Finish : Brown
 Fixing : Push-in locking fit into a 3.5mm x 5mm deep groove.
 Sizes : 6 metres



GEZE flush pull handle square 98307010



Cylindrical Lock




ID No	Function
98910002	Thumb turn inside and coin slot out side
98910001	Key slot outside and push button inside

Short Body Dead Lock Set



Short Body Dead Lock 9168472




ID No	Configuration
8344021	Lock body, Escutcheon and 60 mm Key to Key cylinder
8344024	Lock body, Escutcheon and 60 mm Key to knob cylinder
8344022	Lock body, Escutcheon and 70 mm Key to Key cylinder
8344023	Lock body, Escutcheon and 70 mm Key to knob cylinder



TÜRTECHNIK
DOORTECHNOLOGY



AUTOMATISCHE TÜRSYSTEME
AUTOMATIC DOOR SYSTEMS



GLASSYSTEME
GLASS SYSTEMS



RWA UND LÜFTUNGSTECHNIK
RWA AND VENTILATION SYSTEMS



SICHERHEIT STECHNIK
SAFETY TECHNOLOGY

-Available at-



**WORKSPHERE
CONCEPTS**
Unique Approach for All Spaces